

Classes

- A class is a data type whose variables are objects
 - Some pre-defined classes in C++ include `int`, `char`, `ifstream`
 - Of course, you can define your own classes too
- A class definition says two basic things
 - The kinds of values an object can hold
 - A description of the member functions

Example: class DayOfYear

- Decide on the values to represent
- This example's values are dates such as July 4 using an integer for the number of the month
 - Member variable month is int (Jan = 1, Feb = 2, etc.)
 - Member variable day is int
- Decide on the member functions needed
- Just one member function named output in the first version of this class

Simplest version of DayOfYear

```
class DayOfYear {  
public:  
    void output();  
    int month;  
    int day;  
};
```

```
void DayOfYear::output() {  
    cout << "month = " << month  
        << ",   day = " << day << endl;  
}
```

- Like a struct with an added method
 - All parts public
 - Clients access month, day directly

Notes about '::' and '.'

- '::' used with classes to identify a member

```
void DayOfYear::output() { ... }
```

 - Also used with namespaces – identifies scope
 - Called scope resolution operator
- '.' used with variables to identify object

```
DayOfYear birthday;  
birthday.output();
```

 - Object reference is passed to the method as an implicit parameter

What's wrong with DayOfYear?

- Most important: data are exposed to users
- Why is that a problem?
- Two major reasons:
 - No way to insure consistent object states – e.g. user could `birthday.month = 74; // huh?`
 - Developer can't change data names/meanings
 - e.g. can't change int to string for month, can't save Date instead of month, day, ...
- What's the solution (in C++)?

An access specifier: `private`

- Private members of a class can only be referenced within the definitions of member functions (and `friends` – later)
 - If the program tries to access a private member, the compiler gives an error message
- Private members can be data or functions
 - Should have public set methods to change data
 - Need public get methods to access the data
- Btw: default for class is `private` (public for `struct`)

Better class DayOfYear

```
class DayOfYear {  
public:  
    void input( );  
    void output( );  
    void set(int new_month, int new_day);  
    int get_month( );  
    int get_day( );  
private:  
    void check_date( );  
    int month;  
    int day;  
};
```

DISPLAY 10.4

First Exam
Thursday, October 18