

Anónimos: An LP based Approach for Anonymizing Weighted Social Network Graphs

Sudipto Das, *Member, IEEE*, Ömer Eğecioğlu, and Amr El Abbadi, *Senior Member, IEEE*

Abstract—The increasing popularity of social networks has initiated a fertile research area in information extraction and data mining. Anonymization of these social graphs is important to facilitate publishing these data sets for analysis by external entities. Prior work has concentrated mostly on *node identity anonymization* and *structural anonymization*. But with the growing interest in analyzing social networks as a weighted network, *edge weight anonymization* is also gaining importance. We present Anónimos, a *Linear Programming* based technique for anonymization of edge weights that preserves *linear properties* of graphs. Such properties form the foundation of many important graph-theoretic algorithms such as *shortest paths problem*, *k-nearest neighbors*, *minimum cost spanning tree*, and *maximizing information spread*. As a proof of concept, we apply Anónimos to the *shortest paths problem* and its extensions, prove the correctness, analyze complexity, and experimentally evaluate it using real social network data sets. Our experiments demonstrate that Anónimos anonymizes the weights, improves *k-anonymity* of the weights, and also scrambles the relative ordering of the edges sorted by weights, thereby providing robust and effective anonymization of the sensitive edge-weights. We also demonstrate the composability of different models generated using Anónimos, a property that allows a single anonymized graph to preserve multiple *linear properties*.

Index Terms—Anonymization, Social Networks, Shortest paths, Linear Programming.

1 INTRODUCTION

SOCIAL networking sites such as MySpace, Facebook, Twitter, and Orkut have millions of registered users, and the resulting social graph structures have millions of vertices (users or social actors) and edges (social associations). Recent research has explored these social networks for understanding their structure [1], [2], [3], criminal intelligence [4], information discovery [5], advertising and marketing [6], and others [7]. As a result, companies (such as Facebook) hosting the data are interested in publishing portions of the graphs so that independent entities can mine the wealth of information contained in these social graphs. Anonymization of these graphs is paramount to avoid privacy breaches [8], [9]. Consequently, there has also been considerable interest in the anonymization of graph structured data [10], [11], [12], [13], [14], [15], [16]. But most of the existing research on anonymization techniques tends to focus on *unweighted* graphs for *node* and *structural anonymization*.

Recent research has shown applications of the *weighted network model* where social graphs are viewed as weighted networks. Examples include analyzing the *formation of communities* within the network [17], *viral and targeted marketing and advertising* [6], *modeling the structure and dynamics* such as opinion formation [18], and analysis of the network for *maximizing the spread of information* through the social links [19], in addition to the traditional applications such as *shortest paths* [20], *spanning trees* [21] etc. The semantics of the edge weights depend on the application (such as users

in a social network assigning weights based on “degree of friendship”, “trustworthiness”, “behavior”, etc.), or the property being modeled [17], [18]). For example, consider the “Los Angeles” community in Facebook. If we consider that edge weights are inverse of “trustworthiness” (smaller weights correspond to higher trust in the relation), then the *k Nearest Neighbors (kNN)* query at a particular vertex returns the *k* most trusted users associated to the queried user, and the *single source shortest paths tree* provides the most trusted paths within the community which might be used for communicating while minimizing chances of a leak. We focus on the problem of anonymization of edge weights in a social graph.

Edge-weight anonymization: why do we care? *First*, in many social networks (such as academic social networks [22]), node identity and link structure is public knowledge. But the edge weights, such as “trustworthiness” of user *A* according to user *B*, is private information. Therefore, for publishing the graph, anonymization of the edge weights is critical, while node identity anonymization might not be needed. *Second*, even in the case where the node identities are anonymized, edge weight anonymization is still important since if an adversary re-identifies a node in the anonymized graph, even more information will be revealed if edge weights are not anonymized.

Privacy preserving modeling. For a weighted network model, the magnitude of the weights, distinguishability of weights, as well as relative ordering of edges by their weights is sensitive information. The goal of anonymization is to prevent rediscovering of this sensitive information with a high confidence. For instance, given an edge’s weight (w') in the anonymized graph, an attacker must not be able to determine, with high confidence, the weight of that edge (w) in the original graph. Similarly, given two edges (u_1, v_1) and (u_2, v_2)

• Sudipto Das, Ömer Eğecioğlu, and Amr El Abbadi are with the Department of Computer Science, University of California, Santa Barbara, CA, 93106-5110, USA. E-mail: {sudipto, omer, amr}@cs.ucsb.edu

such that their weights in the anonymized graph have the relation $w'[u_1, v_1] < w'[u_2, v_2]$, an attacker must not be able to discern, with high confidence, the relative ordering of the edge weights in the original graph.

Our solution to the problem of edge weight anonymization is to model the weighted graph based on the property to be preserved, and then reassign edge weights satisfying the model to obtain the anonymized graph. We observe that a large class of graph properties can be expressed as *linear properties*:

Definition 1: A **linear property** of a graph is a property expressible in terms of inequalities involving linear combinations of edge weights.

Linear properties form the basis for a gamut of important graph theoretic properties such as *shortest paths* [20], *information spread* [19], *maximum adjacency search and minimum $s - t$ cut* [23], *maximum weight matching* [24], *traveling salesman problem* [25] and many more. On the other hand, graph algorithms for which edge weights factor in as nonlinear functions of proximity to the source vertex, such as decaying with distance as in certain dispersion measures, cannot be formulated as a linear property. Given a directed graph with non-negative edge-weights, our goal is to model such *linear properties* using a collection of *linear inequalities* and to *preserve the structure of the graph as well as the desired linear properties so that the anonymized graph is at least as useful as the original graph in terms of the property being preserved*. Thus, the objective of privacy preserving modeling is:

Objective 1: To construct a model that **correctly** captures the inequalities that must be obeyed by the edge weights for the modeled **linear property** to be preserved. Any solution to such a model would ensure anonymization of edge weights, while preserving the linear property under consideration.

Once the model has been computed, the set of inequalities in the model need to be solved so that the solution can be used to anonymize the weights while preserving the property being modeled. Linear Programming (LP) is a powerful technique for solving such system of linear equalities. We therefore propose Anónimos, a technique for modeling linear properties using a system of linear inequalities and formulate it as an LP problem. This formulation allows us to use off-the-shelf LP solvers for solving the models and anonymizing the graphs. As a proof-of-concept, we consider the *shortest paths problem* since it is a problem of great interest in weighted graphs. In [26], we developed the model for single source shortest paths tree. In this paper, we extend this design to all pairs shortest paths and also show the **composability** property of Anónimos for preserving multiple linear properties in a single anonymized graph. The notion of shortest paths is widely applicable in people’s use of social media. Most notably, the determination of (or reliance on) shortest paths is critical in the timely transfer of information from one person to another. Applications include messages regarding everything: from social information (e.g., updates about plans among friends in a social network) to frivolous information (e.g., sharing jokes and entertainment information) to information that is potentially serious and consequential (e.g., information about crises or the spread of disease). Moreover, underlying a variety of online relationships is the notion of trust,

TABLE 1
Notational Conventions.

$G = (V, E, W)$	Weighted graph to be anonymized
$G' = (V, E, W')$	Anonymized graph, W' satisfies the model
$n, V $	Number of vertices in the graph
d	Average degree of the vertices of the graph
$w[u, v]$ and $w'[u, v]$	Weight of edge (u, v) in G and in G'
$P[u, v]$	Path from vertex u to v in the graph G
$D[u, v]$	Cost of $P[u, v]$, $\sum_{(u', v') \in P[u, v]} w[u', v']$
$\Pi[v]$	Predecessor of v in the shortest paths tree
T_i	Shortest paths tree with v_i as the source
x_1, \dots, x_m	Variables representing edge-weights
$x(u, v)$	Variable corresponding to edge $(u, v) \in E$
$f(u, \dots, v)$	$\sum_{(u', v') \in P[u, v]} x(u', v')$
μ	Indistinguishability threshold for k -anonymity
N_u	Edge neighborhood of a vertex

which is a fundamental concern in e-commerce transactions, personal relationships, and the consumption of news information, among other things. By involving the fewest people in the transfer of information across a network, potential trust violations (e.g., leaks, misinformation from less well-known sources, or security breaches) are minimized. In these and other ways, the retention of information about shortest paths is of broad appeal. Furthermore, it is also useful in modeling other properties such as k NN and community formation within complex network models.

Contributions.

- We propose Anónimos, a technique for edge weight anonymization of graph structured data that preserves *linear properties* by expressing them as a system of inequalities formulated as an LP problem.
- We use Anónimos to develop models for different variants of the *shortest paths problem*. We also demonstrate the composability of the models by composing the models of the *single source shortest paths trees* to construct the model for *all pairs shortest paths*. Anónimos therefore has the ability to preserve multiple linear properties in a single anonymized graph. We further optimize the models that considerably reduces the complexity of the models.
- We prove the correctness of the proposed models, provide a thorough analysis of the complexity of the proposed models, and present the results of experiments on real social network graphs that validate this analysis and evaluate the extent of anonymization.

2 PRIVACY PROTECTION MEASURES

Attack Model. The goal of edge-weight anonymization is to prevent an adversary from determining, with high confidence, “sensitive information” corresponding to the edges, with a perfect anonymization technique leaking no sensitive information.

Definition 2: Sensitivity of Weights: The following information about an edge is considered as *sensitive*:

- The *magnitude* of the weights associated with the edges.
- *Indistinguishability* of the weight of an edge when compared to the weights of other edges.
- *Relative ordering* of the edge weights in the original graph.

The reason for indistinguishability is obvious — a distinguishable weight would aid re-identification of the edge and

possibly its weight. Ordering of weights is sensitive for certain semantics of edge-weights. For instance, in the “*Los Angeles*” community example with weights representing “trustworthiness”, if A rates B as more trustworthy compared to C , then $w[A, B] > w[A, C]$. Evidently, this ordering is “sensitive” for all the involved users, and an adversary analyzing the anonymized graph should not be able to determine this order with high confidence. In summary, good anonymization should minimize the leak of sensitive information such that if an attacker re-identifies an edge in the anonymized graph, s/he can neither determine the edge’s original weight, nor the ordering of the edge’s weight compared to weights of other edges with high confidence. As we will see later, some linear properties rely on the ordering of edge weights. Thus in order to preserve that property, the ordering of some edge weights must remain unchanged even after anonymization, therefore leaking some sensitive information. This is a limitation imposed by the property being preserved, and the goal of the anonymization technique would be to minimize the impact of such leaks.

Note that the ordering or indistinguishability of edges is particularly interesting in a *neighborhood* of an edge in the graph. For instance, the ordering of $w[u_1, v_1]$ and $w[u_2, v_2]$ is not important if u_1, v_1, u_2 , and v_2 are not related in the graph. We therefore define an *edge neighborhood* of a vertex (which also captures the relationship amongst the edges) where ordering and indistinguishability is important.

Definition 3: Edge neighborhood of a vertex. The edge neighborhood of a vertex u , denoted as N_u , is the set of edges emanating from the vertex u , i.e., edges with u as the source.

The notion of neighborhood can change depending on the semantics of the application. To address privacy concerns, we use two well known metrics used in data privacy and statistics which will be evaluated in a particular *neighborhood*.

k-anonymity. *k-anonymity* [27] is a well known metric used in data privacy for dealing with the *indistinguishability* of data values in an anonymized data sets. *k-anonymity*, in the context of edge weight anonymization, is defined as:

Definition 4: An edge (u, v) is **k-anonymous** if there exists $\min(k - 1, |N_u| - 1)$ other edges (u, v_i) in the neighborhood N_u such that $\|w[u, v] - w[u, v_i]\| \leq \mu$, where μ is the indistinguishability threshold, i.e., the difference of weights below which two edge weights cannot be distinguished.

The concept of *k-anonymity* as applied to edge-weight anonymization is rather weak since it ignores relative ordering of the weights. We propose to capture the quality of privacy by considering the change in the linear ordering of the weights after anonymization. This is achieved by a metric we introduce that uses the Spearman rank correlation coefficient from statistics.

Spearman rank correlation coefficient. The Spearman rank coefficient [28], denoted by ρ , is a statistical measure of the correlation of ranks or orders of two ranked data sets, and is used to evaluate the *order sensitivity anonymization*. This coefficient measures how well the anonymization technique protects the sensitive ordering information, especially for properties where zero leak cannot be guaranteed due the property itself being dependent on the ordering of edge weights. Consider two n -tuples X and Y , where X corresponds to the

edge weights in the given graph, and Y to the edge weights in the anonymized graph. Let the corresponding rank sequences be x and y .

Definition 5: Given two ranked data sets X and Y , ρ is computed as: $\rho = 1 - \frac{6 \sum d_i^2}{n(n^2 - 1)}$ where $d_i = x_i - y_i$ is the difference between the ranks of the corresponding values X_i and Y_i , and n is the number of items in each data set.

The value of ρ lies between -1 and 1 ; $\rho = 1$ implies perfect correlation, $\rho = -1$ implies perfect negative correlation, and $\rho = 0$ implies no correlation between the two orders. Therefore, ρ gives a measure of anonymity in terms of scrambling the rank-ordering of edge weights in a neighborhood; given a list of edges in the *edge neighborhood* of a vertex, a value of ρ closer to 0 is desirable. In case there are tied ranks, then a somewhat more complicated formula is used. In this case, the coefficient is computed as: $\rho = \frac{n \sum x_i y_i - \sum x_i \sum y_i}{\sqrt{n \sum x_i^2 - (\sum x_i)^2} \sqrt{n \sum y_i^2 - (\sum y_i)^2}}$

3 ANÓNIMOS IN ABSTRACT

We now introduce Anónimos, and use Kruskal’s algorithm [21] for *minimum spanning tree (MST)* as an example. The goal of this technique is to capture the dynamic behavior of the algorithm using a system of linear inequalities. Given the original weighted directed graph $G = (V, E, W)$ with positive edge weights represented by variables x_1, x_2, \dots, x_m (where each x_i corresponds to an edge $i = (u, v) \in E$; refer to Table 1 for notational conventions), we model the system of linear inequalities in terms of these variables. For example, at every step of Kruskal’s algorithm for the MST [21], the edge with the minimum weight amongst the set of remaining edges, and not resulting in a cycle is added to the MST. Let (u_i, v_i) be the edge selected at the i^{th} iteration, and (u_{i+1}, v_{i+1}) be the edge selected in the $(i + 1)^{th}$ iteration. This implies that $w[u_i, v_i] \leq w[u_{i+1}, v_{i+1}]$. If $x_{(u_i, v_i)}$ and $x_{(u_{i+1}, v_{i+1})}$ are the variables representing these edges in the model, then this outcome is modeled by the inequality $x_{(u_i, v_i)} \leq x_{(u_{i+1}, v_{i+1})}$. Therefore, for every pair of edges (u_i, v_i) and (u_{i+1}, v_{i+1}) selected in consecutive iterations, the inequality $x_{(u_i, v_i)} \leq x_{(u_{i+1}, v_{i+1})}$ can be added to the model whenever the given weights satisfy $w[u_i, v_i] \leq w[u_{i+1}, v_{i+1}]$.

Decisions made at each step of the algorithm can similarly be expressed as linear inequalities involving the edge-weights. Thus, generalizing the process, the execution of an algorithm computing a linear property results in a set of inequalities involving the edge weights as *variables* with the form $\sum a_{ij} x_k \leq b_l$, where a_{ij} ’s are the coefficients obtained from the observed inequalities, x_k ’s are the variables representing the edges in the graph, and b_k ’s are small constants used for breaking ties. The execution of the algorithm processing the graph can thus be modeled as:

$$\underbrace{\begin{pmatrix} a_{11} & a_{12} & \cdots & a_{1m} \\ a_{21} & a_{22} & \cdots & a_{2m} \\ \vdots & \vdots & \ddots & \vdots \\ a_{k1} & a_{k2} & \cdots & a_{km} \end{pmatrix}}_{\mathbf{A}} \underbrace{\begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_m \end{pmatrix}}_{\mathbf{x}} \leq \underbrace{\begin{pmatrix} b_1 \\ b_2 \\ \vdots \\ b_m \end{pmatrix}}_{\mathbf{b}} \quad (1)$$

The coefficient matrix \mathbf{A} is constructed by extracting the coefficients from the inequalities. For instance, an inequality

of the form $x_2 - x_4 < 0$, will result in $[0 \ 1 \ 0 \ 1 \ 0 \dots 0]$ as a row in the matrix. Any *feasible* solution to (1), except the original set of weights, can be used to anonymize the weights while ensuring that the properties of the graph remain unchanged with respect to the algorithm being modeled. Linear Programming (LP) provides a flexible and powerful technique for solving such a system of inequalities. Since finding a feasible solution is as hard as finding the optimal solution [29], the model in (1) can be formulated as an LP problem:

$$\begin{array}{ll} \text{Minimize (or Maximize)} & \mathcal{F} = \mathbf{c}^t \mathbf{x} \\ \text{subject to} & \mathbf{A} \mathbf{x} \leq \mathbf{b} \end{array}$$

Here \mathbf{A} is an $m \times n$ matrix of coefficients, \mathbf{b} an $m \times 1$ column vector, \mathbf{c} a $1 \times n$ row of coefficients, and $\mathcal{F} = \mathbf{c}^t \mathbf{x}$ is a linear objective function. Even though feasibility of (1) is enough, the LP formulation and choice of the objective function \mathcal{F} have a number of advantages which we will discuss in Section 3.1.

Any *linear property* which can be expressed as a function of a linear combination of edge weights can be expressed as an LP problem, and hence Anónimos can be used for modeling a wide variety of *linear properties*. We remark that modeling an algorithm’s execution (such as Kruskal’s algorithm for MST in this section, and Dijkstra’s algorithm for shortest paths in the rest of the paper) is an intuitive way for constructing the model, and the model captures the property of the graph in addition to modeling the algorithm. Once the model has been constructed, any off-the-shelf LP solver package can be used to find a solution to the set of inequalities (constraints), and the solution constitutes the weights of the anonymized graph. The model is said to be **correct** if the property being modeled is preserved across anonymization. The **complexity** of the model is the number of inequalities necessary to define the model.

3.1 Properties of Anónimos

3.1.1 Flexibility and Robustness

The LP formulation of (1) allows the variables (representing the edge-weights) to be assigned varying lower and upper bounds to attain different scalings as well as shifts in the relative magnitudes of the solution. Therefore, the publisher of the graph can publish different anonymized versions of the same graph where the edge weights in each published version is different. Additionally, the LP formulation provides *flexibility of choice of objective function*. Different objective functions \mathcal{F} can be used to generate different solution sets, and hence different anonymized graphs can be generated by changing the vector \mathbf{c} without any need for regenerating the model. In addition, if the publisher of the graph wants to minimize the sum of edge weights in the anonymized graph, then \mathbf{c} can be set as a unit vector. Furthermore, if it is required that some weights in the anonymized graph be smaller than other weights, then \mathbf{c} can be chosen with larger coefficients corresponding to these variables, and smaller coefficients corresponding to the rest. These are just some of the examples of flexibility that the objective function \mathcal{F} lends to this problem and the publisher of the graph. Since *any feasible* solution can be used for anonymization, the choice of \mathcal{F} is a *free parameter* and a choice of the publisher of the graph.

3.1.2 Composability

Another important property of Anónimos aided by the LP formulation is *composability*, i.e. the ability to combine models representing different linear properties so that *multiple* properties are preserved in a single anonymized graph.

Theorem 1: The composition of LP models developed as extensions of Anónimos for modeling different *linear properties* do not lead to contradictory constraints, and hence the models are *composable*.

Proof: Proof by Contradiction. Let $G = (V, E, W)$ be the original weighted graph. Let M_1 and M_2 represent models representing *linear properties* P_1 and P_2 (shortest paths and minimum spanning tree for instance), and let S_1 and S_2 denote the set of inequalities representing the models. Let us assume that there exist a contradictory pair of constraints in $S_1 \cup S_2$, i.e., there does not exist a single solution for the set of constraints $S_1 \cup S_2$. Since the set S_1 is built based on the original set of weights W , hence W is a valid solution satisfying S_1 (and there are possibly many more solutions satisfying S_1). Using similar arguments, W also satisfies S_2 . Since W satisfies S_1 and S_2 individually, hence W must also satisfy $S_1 \cup S_2$. This leads to a contradiction that $S_1 \cup S_2$ had a contradicting pair of inequalities. \square

Therefore, if a model is developed to preserve the *minimum spanning tree*, and another model is developed for preserving the *shortest paths*, both the models can be *composed* so that the resulting model captures both properties, and a solution to the composed model results in an anonymized graph that preserves both these properties.

4 SHORTEST PATHS PROBLEM

In this section, we demonstrate how Anónimos can be used for modeling and preserving the *shortest paths* property of a graph. As pointed out earlier, shortest paths in a graph are important to various graph applications, and we choose the shortest paths problem as a proof-of-concept. We first describe the technique for modeling *single source shortest paths tree* using the Dijkstra’s algorithm [20], and then demonstrate the composability of Anónimos by composing the models generated for *single source shortest paths* to construct the model for *all pairs shortest paths* problem.

4.1 Single Source Shortest Paths – Linear Model

We now show how Anónimos can be used for modeling the *single source shortest paths tree*. Given a weighted graph $G = (V, E, W)$, and a source vertex v_0 , a *single source shortest paths tree* is a spanning tree of the graph where the path from the source to any other vertex in the tree is the shortest path between the pair in G . This tree is important in a number of applications; for example, if weights are assigned based on inverse of “trustworthiness”, then this tree will provide the paths with greatest “trustworthiness” for transferring confidential information from a specific node while minimizing chances of a leak.

The *single source shortest paths tree* problem can have various naïve anonymization schemes. We solve this problem separately since: *First*, the *single source shortest paths tree*

Algorithm 1 Dijkstra's Algorithm: Shortest paths tree

```

1:  $D \leftarrow (\infty)$  /* Cost of best known path from source. */
2:  $\Pi \leftarrow ()$  /* Predecessor in shortest path from source. */
3:  $Q \leftarrow v_0$  /* Set of unvisited vertices */
4:  $S \leftarrow \phi$  /* Vertices to which shortest path is known. */
5:  $D[v_0, v_0] \leftarrow 0$ 
6: while  $Q \neq \phi$  do
7:    $u \leftarrow \text{ExtractMin}(Q)$  /* Unvisited vertex with min cost */
8:    $S \leftarrow S \cup \{u\}$ 
9:   for each vertex  $v$  such that  $(u, v) \in E$  and  $v \notin S$  do
10:    if  $D[v_0, v] > D[v_0, u] + w[u, v]$  then
11:       $D[v_0, v] \leftarrow D[v_0, u] + w[u, v]$ 
12:       $\Pi(v) \leftarrow u$  /* Shorter path exists. */
13:    else
14:      /* Do Nothing. */
15:    if  $v \notin Q$  then
16:       $Q \leftarrow Q \cup \{v\}$ 

```




Fig. 1. Illustration of Dijkstra's algorithm. The numbers adjoining the vertices and outside parenthesis correspond to the order in which the vertices were selected by Dijkstra's algorithm, the number in parentheses correspond to the cost of the best known path from the source, and the dashed edges constitute the shortest paths tree.

problem subsumes the k -nearest neighbors query, since given the shortest paths tree from node v_0 , we can determine the top- k nearest neighbors in increasing order. An Anónimos based approach preserves this additional property which many naïve solutions cannot preserve. *Second*, this model forms the basis for the *all pairs shortest paths* problem and we use this as a stepping stone towards this goal. Our composition of the models for *single source shortest paths tree* to model *all pairs shortest paths* problem demonstrates the composability of the models (Theorem 1).

Dijkstra's algorithm [20] is a well known greedy algorithm for *single source shortest paths tree*; Algorithm 1 provides an overview. Given a start vertex v_0 , at every step the algorithm selects the vertex u with the smallest known cost from v_0 . The algorithm "relaxes" the neighbors of u whose cost from the source has now decreased due to the selection of u . Figure 1 shows an illustration of Dijkstra's algorithm on an example graph, and the resulting tree. For notational conventions refer to Table 1. In particular, $D[u, v]$ is the cost of the path from the vertex u to v , and $f(u, v)$ is $\sum_{(u', v') \in P[u, v]} x(u', v')$. In other words, $f(u, v)$ is a shorthand for the sum of the variables representing the edges in a given path.

Dijkstra's algorithm [20] makes a number of decisions based on the outcome of comparisons of linear combinations of edge weights. These decisions can be modeled using the

Algorithm 2 Linear Complexity model

```

1:  $D \leftarrow (\infty)$  /* Cost of best known path from source. */
2:  $\Pi \leftarrow ()$  /* Predecessor in shortest path from source. */
3:  $Q \leftarrow v_0$  /* Set of unvisited vertices */
4:  $S \leftarrow \phi$  /* Vertices to which shortest path is known. */
5:  $D[v_0, v_0] \leftarrow 0$ 
6:  $u' \leftarrow \phi$  /* Stores the vertex processed in previous iteration */
7: while  $Q \neq \phi$  do
8:    $u \leftarrow \text{ExtractMin}(Q)$ 
9:    $S \leftarrow S \cup \{u\}$ 
10:  if  $u' \neq \phi$  then
11:     $\text{AddConstraint}(f(v_0, u') \leq f(v_0, u))$ 
12:     $u' \leftarrow u$ 
13:  for each vertex  $v$  such that  $(u, v) \in E$  and  $v \notin S$  do
14:    if  $D[v_0, v] > D[v_0, u] + w[u, v]$  then
15:       $D[v_0, v] \leftarrow D[v_0, u] + w[u, v]$ 
16:       $\Pi(v) \leftarrow u$ 
17:       $\text{AddConstraint}(f(v_0, v) > f(v_0, u) + x_{(u, v)})$ 
18:    else
19:       $\text{AddConstraint}(f(v_0, v) \leq f(v_0, u) + x_{(u, v)})$ 
20:    if  $v \notin Q$  then
21:       $Q \leftarrow Q \cup \{v\}$ 

```

following three categories of inequalities and are incorporated in Dijkstra's algorithm as shown in Algorithm 2:

- **Category I:** When processing edge (u, v) , if $D[v_0, v]$ can be improved, then $D[v_0, v] > D[v_0, u] + w[u, v]$, add constraint $f(v_0, v) > f(v_0, u) + x_{(u, v)}$ (line 17 in Algorithm 2).
- **Category II:** When processing edge (u, v) , if $D[v_0, v]$ can not be improved, then $D[v_0, v] \leq D[v_0, u] + w[u, v]$, add constraint $f(v_0, v) \leq f(v_0, u) + x_{(u, v)}$ (line 19 in Algorithm 2).
- **Category III:** When extracting the edge u for the next iteration, if u' is the previous vertex processed, then $D[v_0, u'] \leq D[v_0, u]$, add constraint $f(v_0, u') \leq f(v_0, u)$. This captures the order in which the vertices are selected (line 11 in Algorithm 2).

The following theorem formalizes the correctness.

Theorem 2: A model built from all the inequalities of Categories I, II, and III combined will correctly model Dijkstra's algorithm, i.e., any solution to the model used to anonymize edge weights in the graph results in the same shortest paths tree in the original as well as the anonymized graph.

Proof: Proof by Contradiction. Let $G = (V, E, W)$ be the input graph, and $G' = (V, E, W')$ be the anonymized graph. Let T_0 be the shortest paths tree starting at vertex v_0 in G and T'_0 be the corresponding tree in G' . By way of contradiction, assume that T_0 and T'_0 are different. Let v be a vertex where T_0 and T'_0 differ, and let u be its predecessor in T_0 , and u' in T'_0 such that $u \neq u'$. Since u is the predecessor of v in T_0 and since (u, v) and $(u', v) \in E$, we must have:

$$D[v_0, u] + w[u, v] = D[v_0, v] \quad (2)$$

$$\text{and, } D[v_0, u'] + w[u', v] \geq D[v_0, v] \quad (3)$$

The model will contain constraints corresponding to properties 2 and 3. Again, as u' is the predecessor of v in T'_0 , and

since (u, v) and $(u', v) \in E$, we have:

$$D'[v_0, u'] + w'[u', v] = D'[v_0, v] \quad (4)$$

$$\text{and, } D'[v_0, u] + w'[u, v] \geq D'[v_0, v] \quad (5)$$

Since W' is a solution of the model, properties 4 and 5 will be satisfied only if $u = u'$, which is a contradiction. \square

Complexity of the Model. Category I and Category II combined will result in $O(dn)$ inequalities. This is because, when an edge is processed, either the path to its neighbor is improved (Cat I), or it remains unchanged (Cat II), and hence every edge results in at least one inequality. Since the average degree per node is d , the resulting number of inequalities is $O(dn)$. The number of inequalities for Cat III is $O(n)$ since one inequality of Cat III is generated for every vertex processed. Thus, the complexity of the model is $O(dn)$. Since most large real graphs are sparse, i.e., $d \ll n$ (generally d is of the order of tens or hundreds), we refer to this model as the *Linear model* with complexity growing linearly with n .

4.2 All Pairs Shortest Paths – Quadratic Model

In Theorem 1, we formalized the concept of *composability* of models formed using Anónimos. We now demonstrate composability by combining the models for *single source shortest paths tree* for modeling *all pairs shortest paths* problem [20]. All pairs shortest paths is a case where every vertex in the graph is considered as a *single source shortest paths tree*. Anónimos can also use Floyd-Warshall [30] algorithm for all-pairs shortest paths. We prefer to build on Dijkstra's algorithm since in addition to demonstrating *composability*, we can build on the models developed in the previous section, and Dijkstra's algorithm has additional properties (described in Section 6.1) which makes it better suited for certain applications.

A simple solution for the all-pairs problem is to generate the **Linear** model (as in Section 4.1) for the single source shortest paths trees for all the vertices v_1, v_2, \dots, v_n , obtain the set of constraints S_1, S_2, \dots, S_n , and then obtain the model for all-pairs as $S_1 \cup S_2 \cup \dots \cup S_n$. Since each of the S_i 's provide constraints on *all* edges, hence the constraints from one *single source shortest paths tree* cannot contradict the assignment of another tree.

Theorem 3: A model comprised of all the constraints generated by the **Linear** solution for single source shortest paths tree, repeated for all the vertices of the tree, is a correct model for the all-pairs problem.

Proof: Proof by Contradiction. Let $G = (V, E, W)$ be the input graph, and $G' = (V, E, W')$ be the anonymized graph. Let us assume that there exists at least one pair of vertices v_i, v_j whose shortest paths in G' differs from its shortest path in G . The shortest path from v_i to v_j in the all-pairs problem is the path from v_i to v_j in the single source shortest paths tree with v_i as the source, i.e., T_i . This implies that T_i in G does not match T'_i in G' , which is a contradiction of Theorem 2. \square

Complexity of the Model. The complexity of the model can be derived trivially from the complexity of the constituting model. Each of the shortest paths trees have a complexity of $O(dn)$, and this repeated for n vertices gives us a total complexity of $O(dn^2)$.

5 OPTIMIZING THE MODELS

In the previous section, we developed a couple of simple models for the shortest paths problem, and demonstrated the composability of the models. We now provide optimizations to the simple models to reduce the complexity of the models while relaxing the composability property of the models – composability of the optimized models require special handling which we also discuss later in the section.

5.1 Single Source Shortest Paths – Reduced Model

We exploit specific properties of shortest paths to reduce the complexity of the naïve application of Anónimos to Dijkstra's algorithm which resulted in the **Linear** model. Note that even though Dijkstra's algorithm tries to relax the neighbors when processing a vertex, the ultimate goal is to select an appropriate vertex for the next iteration, i.e., the vertex with the smallest known cost from the source. Category III inequalities model this information in an efficient way, and hence ideally, only Category III inequalities are needed. However Category III inequalities only include edges that are part of the shortest paths tree. Therefore, if **only** Category III inequalities are considered in the model, then only part of the total number of edges are modeled. These inequalities by themselves do not put constraints on non-tree edges, and thus, if no care is taken while reassigning edge weights in the anonymized graph, it can lead to violations of the order in the anonymized graph. For instance, if edge (u, v) is a non-tree edge, then a model using only Category III would not impose any constraint on (u, v) . Hence a reassignment of weights in the anonymized graph might assign the edge (u, v) a weight such that Dijkstra's algorithm executing on the anonymized graph selects (u, v) as a tree edge.

Therefore, to ensure correctness, the model must be augmented to make sure that the non-tree edges are not included in the tree when the algorithm executes on the anonymized graph. The following theorem formalizes this proposition.

Theorem 4: A model which ensures that (i) the order of selection of vertices remains the same even after anonymization, and (ii) non-tree edges in the original graph are not included in the tree constructed on the anonymized graph, will also ensure that the shortest paths tree in the original and anonymized graph are also same, i.e., the model is correct.

Proof: Proof by Contradiction.

Let $G = (V, E, W)$ be the input graph, and $G' = (V, E, W')$ be the anonymized graph. Let T be the shortest paths tree starting at vertex v_0 in G and T' be the corresponding tree in G' . Let us assume that T and T' are different. Let v be first vertex where T and T' differ, and let u be its predecessor in T , and u' in T' such that $u \neq u'$. Then the following two possibilities arise:

Case I: The edge $(u, v) \in T$, and $(u', v) \notin T$. Now if u' is the predecessor of v in T' , then $(u', v) \in T'$. But this is a contradiction since (ii) ensures that if $(u', v) \notin T \Rightarrow (u', v) \notin T'$.

Case II: Both edges (u, v) and (u', v) are in T . If (u', v) is a directed edge, then this is not possible since vertex v can have only one predecessor in T which is u , and since (u', v) is a

Algorithm 3 Reduced model

```

1: /* Initialize similar to Dijkstra in Algorithm 2. */
2:  $T \leftarrow \phi$  /* Set of edges in the Tree. */
3: while  $Q \neq \phi$  do
4:    $u \leftarrow \text{ExtractMin}(Q)$ 
5:    $S \leftarrow S \cup \{u\}$ 
6:   if  $(\Pi(u), u) \notin T$  then
7:      $T \leftarrow T \cup \{(\Pi(u), u)\}$ 
8:   if  $u' \neq \phi$  then
9:      $\text{AddConstraint}(f(v_0, u') \leq f(v_0, u))$ 
10:   $u' \leftarrow u$ 
11:  for each vertex  $v$  such that  $(u, v) \in E$  and  $v \notin S$  do
12:    if  $D[v_0, v] > D[v_0, u] + w[u, v]$  then
13:       $D[v_0, v] \leftarrow D[v_0, u] + w[u, v]$ 
14:       $\Pi(v) \leftarrow u$  /* Shorter path exists. */
15:    if  $v \notin Q$  then
16:       $Q \leftarrow Q \cup \{v\}$ 

```

Algorithm 4 Reassignment of weights in Reduced model

Require: v_l is the last vertex processed by Algorithm 3

```

1: for each edge  $(u, v) \in E$  do
2:   if  $(u, v) \in T$  then
3:      $w'[u, v] \leftarrow$  Value obtained from solution of model.
4:   else
5:      $w'[u, v] \leftarrow D'[v_s, v_l] + \text{rand}()$  /*  $v_s$  is the source vertex. */

```

directed edge towards v , it cannot be included in the path to some other vertex processed after v leading to a contradiction to the condition (i). \square

Augmenting the model – Complexity and Correctness. Category III inequalities enforce condition (i) of Theorem 4. A simple solution to ensure that condition (ii) is also satisfied is to keep track of the edges not in the shortest path tree (T_s) and when assigning weights to the anonymized graph, non-tree edges are assigned weights greater than the shortest path with the largest weight. This ensures that these edges are not picked as the shortest paths in the anonymized graph. Thus, Category III inequalities along with some additional information can model Dijkstra’s algorithm, and the complexity of the modified model becomes $O(n)$ ($n - 1$ to be exact). Algorithm 3 provides the pseudocode for the **Reduced** model described in Section 5.1, while Algorithm 4 provides the code for reassigning edge weights in the anonymized graph obtained using the *Reduced* model. The asymptotic complexity of the models in this section and in Section 4.1 are the same: both grow linearly with n (assuming that d is a constant compared to n). But considering the fact that d is generally of the order of 10 or 100 (as shown in our experiments using social network graphs), the model suggested in this section provides 1 to 2 orders of magnitude reduction in the number of inequalities.

5.2 All Pairs Shortest Paths – Optimized Model

We now develop an efficient model for the all pairs shortest paths problem. The model obtained by composition of the *Linear* model, though correct, has many redundant inequalities. For example, edges that are not part of any of the trees need not be part of the model, and can be treated as the non-tree edges in Section 5.1. However in the described model, there are no means for filtering out these inequalities. We now delve deeper

Algorithm 5 Optimized model for all pairs shortest paths

```

1: Run Algorithm 3 for all vertices  $v_1, \dots, v_n$  to determine the trees
    $T_1, \dots, T_n$  and models  $S_1, \dots, S_n$ 
2:  $T \leftarrow \phi$ 
3:  $S \leftarrow \phi$ 
4: for each  $T_i$  in  $\{T_1, \dots, T_n\}$  do
5:    $S \leftarrow S \cup S_i$ 
6:   for each edge  $(u, v) \in T_i$  do
7:     for each  $T_k$  in  $\{T_1, \dots, T_n\}$  such that  $(u, v) \notin T_k$  do
8:        $S \leftarrow S \cup \{f(v_k, v) < f(v_k, u) + x_{(u,v)}\}$ 
9:    $T \leftarrow T \cup T_i$ 

```

into the problem and show how the *Reduced* model described in Section 5.1 can be composed for the all pairs problem.

Note that two *Reduced* models cannot be merged in a naïve way, since all edges in the graph are not part of the Reduced model (recall that only edges in the single source shortest path tree are part of model). When merging the constraints of multiple trees developed using the Reduced model, some edges that are part of some trees but not all the trees may result in problems. We formalize this as follows:

Definition 6: Problematic edges: An edge (u, v) is said to be **problematic** for composition if there exists a shortest path tree T_i such that $(u, v) \in T_i$, and there exists a tree T_j ($T_i \neq T_j$) such that $(u, v) \notin T_j$.

A problematic edge $(u, v) \notin T_j$ will not have any constraint involving $x_{(u,v)}$ in the model developed for T_j , and hence the constraints of T_i (or any other tree T_k which contains (u, v)) can set a value $w'[u, v]$ in the anonymized graph such that when T_j' is reconstructed in the anonymized graph, (u, v) is selected as an edge in T_j' . There was in fact a decision which the algorithm took when (u, v) was not included in T_j , but since (u, v) was not selected in T_j , this decision was not part of the reduced model. We now devise a mechanism to model this decision in T_j , so that the edge will no longer be problematic for T_j .

Proposition 5: Eliminating Problematic Edges: A problematic edge (u, v) is not selected in T_j , if there exists another path from the source vertex v_j to v which is cheaper than the path from v_j to v through the vertex u , i.e., $D[v_j, v] < D[v_j, u] + w[u, v]$. If the corresponding constraint $f(v_j, v) < f(v_j, u) + x_{(u,v)}$ is added to the model of T_j , then (u, v) is no longer a problematic edge for T_j . Similarly, if the process is repeated for all trees T_k such that $(u, v) \notin T_k$, then (u, v) is no longer a problematic edge for any of the trees.

Therefore, once we have ensured that the problematic edges are eliminated during the composition of the constraints of the individual trees, we can compose the individual constraints to form a correct model for all-pairs shortest paths. Therefore, if T_1, \dots, T_n are the trees and S_1, \dots, S_n are the corresponding set of constraints, then we want to form $S = S_1 \oplus S_2 \oplus \dots \oplus S_n$ which would model the all-pairs shortest paths problem. The algorithm composes the trees one at a time. The pseudocode for the algorithm generating the model is shown in Algorithm 5. Edges which are not in any of the trees can be dealt in a manner similar to the approach used in Section 5.1.

Theorem 6: The model created by composing individual trees while eliminating **problematic edges** preserves all the

trees T_1, \dots, T_n , and hence correctly models all pairs shortest paths.

Proof: Proof by Mathematical Induction.

Base Case. At the beginning of the algorithm, $T = \phi$ and $S = \phi$. Hence it is true trivially.

Inductive Case. Let us assume that after iteration i , we have T and set of constraints S that preserves trees T_1, \dots, T_i , and at iteration $i + 1$, we are adding the tree T_{i+1} . Let us assume that (u, v) is a problematic edge. For every T_k such that $(u, v) \notin T_k$ ($T_k \in \{T_1, \dots, T_n\}$), means that Dijkstra’s algorithm did not pick (u, v) in T_k , and addition of the constraint in line 8 makes sure that Dijkstra’s algorithm executing on the anonymized graph will not pick (u, v) as an edge in T'_k . This property exists in the original graph that made sure that (u, v) was not picked in any of T_k . Therefore, it is evident that when the edge (u, v) is added, the algorithm makes sure that it is not problematic, and hence at the end of the iteration, the set of constraints S preserves trees T_1, \dots, T_i, T_{i+1} .

Therefore, by the principle of mathematical induction, the set of constraints at the end of the algorithm preserved the trees T_1, \dots, T_n , and hence in the anonymized graph, all the trees can be reconstructed which are identical to the trees in the original graph. \square

Theorem 7: A model that preserves the trees T_1, \dots, T_n correctly models the shortest path between all pairs of vertices.

Proof: Proof by Contradiction. Let $G = (V, E, W)$ be the input graph, and let $G' = (V, E, W')$ be the anonymized graph. Let us assume that there exists at least one pair of vertices v_i, v_j whose shortest paths in G' differs from its shortest path in G . The shortest path from v_i to v_j in the all-pairs problem is the path from v_i to v_j in the single source shortest paths tree with v_i as the source, i.e., T_i . This implies that T_i in G does not match T'_i in G' , which is a contradiction, since the T_i is preserved by Theorem 6. \square

Complexity of the Model. The analysis of the complexity of the algorithm is a bit more involved. In the *best case*, all the trees have the same edges. Since there are no problematic edges, no new constraints were added, and hence the complexity is $O(n^2)$. In the *worst case*, every problematic edge will add $O(n)$ inequalities, and there can be at most $O(dn)$ problematic edges. Thus, the number of added constraints are:

$$\underbrace{(n-1) + \dots + (n-1)}_{dn \text{ terms}} + \underbrace{(n-1) + \dots + (n-1)}_{n \text{ terms}} \\ = O(dn^2) + O(n^2) = O(dn^2)$$

Therefore, the total number of inequalities is $O(dn^2)$. Thus the complexity is no worse than the model described in Section 4.2. Our experimental evaluation on real datasets shows that this model performs significantly better on the average than $O(dn^2)$.

6 DISCUSSION

6.1 Application Specific Properties

In addition to the properties described in Section 3.1 which are general to Anónimos, there are some additional properties which are interesting for the shortest paths problem. While

generating the constraints for the model, the algorithm can be terminated at any point prior to completion, and this early termination has specific applications for the shortest paths problem. Formulating Anónimos as an LP problem ensures that the model being constructed is consistent at every point during the execution, and hence, these interesting sub-properties are also preserved. Furthermore, since the algorithm does not process every node and vertex in the graph, this leads to considerable savings in the complexity.

Early termination of Single Source Shortest Paths. When computing the shortest paths tree from a specific node in the tree, the vertices are processed in the order of increasing distance from the source vertex. Therefore, if the algorithm is terminated after processing k of the n vertices, the resulting model preserves the k Nearest Neighbors (kNN) of the starting node. kNN is often useful when the start vertex is an “influential user”, and the kNN tree provides a path for information spread [19]. In the Reduced model (Section 5.1), an inequality is added for every vertex processed. Therefore, the complexity of the proposed model is $O(k)$ compared to $O(n)$ for the entire tree, a significant saving when $k \ll n$.

Early termination of All Pairs Shortest Paths. When combining individual shortest paths trees, the algorithm can be terminated after processing trees T_1, \dots, T_k (where $k < n$) and the model is still consistent for these trees and preserves the all pairs shortest paths for paths between vertices $1 \dots k$. In addition, the trees T_1, \dots, T_k can be chosen as well as composed in any arbitrary order. Consider the “Los Angeles” community example in Section 1. A client requesting anonymized data corresponding to all the members in the “Los Angeles” community might only be interested in shortest paths between all pairs of “computer scientists”. In such a scenario, only the shortest paths trees with “computer scientists” as roots need to be combined. If the number of trees $k \ll n$, then this technique will have a complexity of $O(kn)$, i.e., linear in the number of vertices in the graph.

6.2 Privacy Protection

Ensuring k-anonymity. Anónimos can ensure *k-anonymity* by adding constraints of the form $x(u, v) - x(u, v_i) \leq \epsilon \forall (u, v)$ and (u, v_i) in a neighborhood; though at the cost of increasing the *complexity* of the model. ϵ is a small positive constant much smaller than μ . Note that in order to ensure that the newly added inequalities do not contradict the existing set of inequalities, the new inequalities must preserve the order of the edge weights captured in the model. Thus for instance, if the model captures the relationship between edges (u, v) and (u, v_i) as $w[u, v] \geq w[u, v_i]$, then the added inequality should be of the form $x(u, v) - x(u, v_i) \leq \epsilon$. On the other hand, $w[u, v] \leq w[u, v_i]$ would result in an inequality of the form $x(u, v_i) - x(u, v) \leq \epsilon$. For edges whose order is not captured in the model, the inequalities must be added for an arbitrary order to prevent leaking of unnecessary ordering information. **Spearman’s Correlation Coefficient.** A perfect anonymization technique should not leak any ordering information. But as noted earlier, some linear properties (like shortest paths) rely on ordering of edge weights, and accurately preserving such

TABLE 2
Summary of the Social Graphs.

Data Set	No. of Vertices	No. of Edges	Avg. Degree
Flickr-user-3	55,803	6,662,377	119.39
LJ-user-3	15,508	384,947	24.82
Orkut-user-3	26,110	899,638	34.46
Youtube-user-3	237,469	2,457,206	10.35
Flickr-comm	1,382	69,321	50.16
LJ-comm	1,497	21,481	14.35
Orkut-comm	1,047	28,240	26.97
Youtube-comm	1,823	29,342	16.1

properties would result in a leak of some sensitive ordering information. The spearman’s correlation coefficient is used to quantitatively measure how well an anonymization technique is able to scramble the ordering information even in the presence of this leak. Also note that our model for shortest paths preserves the order in which the vertices are processed, and this in-turn preserves the k nearest neighbors property. It is also possible to scramble this order of processing to improve anonymity, but it has impact on the other properties of Anónimos such as composability and early termination.

Semantics and Distribution of Edge weights. A property of Anónimos is that it is not dependent on the actual magnitude of the edge weights, its semantics, or the distribution of edge weights. Once the *linear property* to be preserved has been determined, the model is constructed to preserve this property. This model only stores inequalities, and no information is captured about the magnitudes of the original weights, unless the property itself preserves the distribution.

7 EXPERIMENTAL EVALUATION

In this section, we experimentally evaluate the different models based on Anónimos, compare their complexity, and validate our analysis. All the algorithms were implemented in Java, and the experiments were run on a 2.4GHz Intel Core 2 Quad processor. The machine has 3GB main memory and runs Fedora Core Linux. We used four real social network data sets obtained from the authors of [3]. In our experiments, we used a free open-source LP Solver (*lp_solve 5.5*) [31]. We report the time taken to generate the model, complexity of the model, and the time taken to solve the models. We assume that the LP solver is de-coupled from the system generating the model. Therefore, the model is written to disk, and the system solving the model reads the model from disk, and generates the solution, which is then used to anonymize the model. Hence the reported times include the disk access latencies. Correctness of the models is also experimentally validated by checking the equivalence of the shortest paths trees and all-pairs shortest paths in the original and the anonymized graphs. As mentioned in Section 3.1.1, the choice of objective function provides some flexibility to the publisher. We experimented with a number of objective functions such as setting all coefficients to unity (unity objective function), or setting them to random values picked from uniform as well as gaussian distributions, but no significant difference in degree of anonymization was observed. In the reported experiments, we use a unity object function.




Fig. 2. Cumulative Distribution Function for the out-degrees of the different graph data sets.

Implementation Issues of Anónimos. Every modeled decision results in an inequality. In order to deal with ties and different implementations of queues or other structures used, the ties in the original graphs should be modeled exactly in the same way in which it was resolved while generating the model in the original graph. Consequently, if the edge (u_1, v_1) was chosen by the algorithm ahead of edge (u, v) , to ensure that the algorithm takes the same decision even in the anonymized graph, we model the decision as $x(u_1, v_1) \leq x(u, v) - \epsilon$, where $\epsilon > 0$ is a small real number. Additionally, LP solvers do not accept strict inequalities of the type $x(u, v) < b$. Therefore, such inequalities are converted to non-strict inequalities as $x(u, v) \leq b - \epsilon$, where again $\epsilon > 0$ is a small real number.

7.1 Graph Data sets

Mislove et al. [3] crawled a number of social network sites for analyzing the properties of these large social graphs, and have made their data sets publicly available. Their data sets include the graphs for a number of popular social networking sites: Flickr (www.flickr.com), LiveJournal (www.livejournal.com), Orkut (www.orkut.com), and Youtube (www.youtube.com). While Orkut is a pure social networking site, LiveJournal (referred to as **LJ** in the data sets) is a blogging site whose users form a social network, while Flickr and Youtube are photo sharing and video sharing sites respectively, with an overlaid social network structure amongst its users. We model the graphs of these networks as directed graphs where edges have positive weights, but the models can be extended for undirected graphs. The published graph data sets are unweighted. Since our model is not dependent on the semantics of the weights or their magnitude, we assigned randomly generated weights to the edges of the graph. We experimented by selecting weights randomly from a uniform distribution (real numbers in the range 1 to 100) as well as normal distribution (with mean 50 and standard deviation), but no observable differences were observed in the number of inequalities as well as the privacy protection measures. The experiments presented in this paper are using weights selected randomly from a uniform distribution.

The data sets have two specific forms of sub-graphs:

User Driven Structures: These are sub-graphs where a specific user is of interest, and is useful for applications focussed on a single user. For example, for marketing purposes, a company might select some *influential* users for free trials of their products so that they can influence other users to use or

buy the product [19]. Similarly, applications such as *shortest paths trees* and *nearest neighbors* will also be interested in similar structures. To simulate these structures, we select a vertex in the graph as the root, and extract the graph induced by the vertices which are within k degrees of separation from the root (a vertex v is a first degree connection to the root v_0 if there exists an edge (v_0, v)). We use the *user* suffix to refer to the user data sets, and for our experiments, we consider 3^d degree of separation (e.g., *Orkut-user-3*).

Community Driven Structures: These graphs correspond to communities (or groups) within the social networks. For example, in our examples in Section 1, we refer to the “*Los Angeles*” community in Facebook. Community structures are very important for applications such as *targeted advertising*, *shortest paths*, *nearest neighbors* etc. This is primarily since users in the same community share common interests, and hence many applications can be driven by the community structure. For the experiments, we select communities inside the social networks, and extract the graph induced by the members of the community. We use the *comm* suffix to refer to the community data sets (e.g., *Orkut-comm*).

Table 2 summarizes the different graphs in the data set used in our experiments in terms of the number of vertices, number of edges, and average out-degrees. To provide better insight into the distribution of the out-degrees of the vertices, in Figure 2, we plot the *cumulative distribution function (CDF)* of the out-degrees of the graphs in the data set. Along the x -axis is the out-degree, and along the y -axis is the fraction of the total number of vertices whose out-degree is less than the corresponding value of the x -axis. Figure 2(a) plots the CDF for the *user driven graphs*, while Figure 2(b) plots the CDF for the *community driven graphs*. Each line in the figure corresponds to a graph in the data set, and represents the fraction of vertices that have out degree less than or equal to the corresponding point on the x -axis. As can be noted from Figures 2(a) and 2(b), Flickr graphs have a considerably higher out degree compared to the other three graphs.

7.2 Single source shortest paths

In this section, we experimentally evaluate the models for *single source shortest paths tree* and demonstrate the benefits of our optimization. We compare the *Linear* model to the *Reduced* model in terms of the complexity of the model, and the time taken to build the model and write it to disk. Recall that the complexity of the model corresponds to the number of inequalities generated, and the time taken includes the time for executing Dijkstra’s algorithm, generating the inequalities, and writing the generated inequalities to disk. Table 3 provides the results from these experiments along with a detailed breakup of the number of inequalities, as well as the reduction in complexity and time of the *Reduced* model compared to the *Linear* model. For the *Linear* model, the categories of inequalities in Table 3 correspond to the categories defined in Section 4.1. As is evident from Table 3, the *Reduced* model provides about $O(d)$ times improvement in complexity of the models for all the graphs, as observed in Section 5.1. Depending on the graph, the value of d varies, and

so does the factor of improvement. For example, for the *Flickr-user-3* data set, d is 119.39, and the complexity of the *Reduced* model is about 120 times less than that of the *Linear* model. This large reduction in the number of inequalities also affects the time to build the model since fewer inequalities need to be *generated*, and more importantly, fewer inequalities need to be *written to disk*. This is evident from the 90% improvement in time to generate the *Reduced* model.

7.3 All pairs shortest paths

In this section, we experimentally evaluate the models for the *all pairs shortest paths problem*. In a community of a social network, users share common interests, and an application that uses minimum cost paths between any two members of the community would require the all-pairs shortest paths. On the other hand, for a *user driven* social graph, two users in the graph might be completely unrelated, and from an application’s perspective, shortest paths between them are not interesting. Thus, we evaluate the models for *all-pairs* only for the *community driven graphs*.

7.3.1 Evaluating shortest paths between all pairs

We refer to the model of Section 4.2 as the *Quadratic* model, and that of Section 5.2 as the *Optimized* model. Table 4 provides the experimental results, tabulating the break down of the categories of the constituent inequalities that form the model. For the *Quadratic* model, the categories of the inequalities correspond to the ones defined in Section 4.1. For the *Optimized* model, the *Merge* inequalities are the ones generated when the individual shortest paths trees are merged into one consistent model compensating for the problematic edges, while the *Trees* inequalities are the total number of inequalities generated for the trees. Since this corresponds to *Category III* inequalities (as the *Reduced* model for single source only uses *Category III* inequalities), Columns 4 and 8 of Table 4 are identical. Table 4 also provides data that allows a deeper analysis of the reasons for the improved performance of the *Optimized* model, even though both models have the same complexity bound $O(dn^2)$. As was noted in Section 5.2, the inefficiency of the *Quadratic* model stems from the fact that it cannot leverage the absence of some edges from all the trees, which allows these edges to be excluded from the model. These edges are represented by the column titled *Unconstrained Edges* in Table 4. It can be seen that in all the social graphs, a high percentage of edges are not part of any tree, and eliminating these edges from the model considerably simplifies the model. This is evident from the 70–80% reduction in complexity of the *Optimized* model compared to the *Quadratic* model. Reduction in complexity of the model also considerably reduces the time, primarily because fewer inequalities are written to disk.

7.3.2 Benefits of Early Termination

We now experimentally evaluate the benefits of early termination of the all-pairs model as explained in Section 6.1. This finds application in *community driven* graphs where the application is interested in a specific subset of vertices. Our

TABLE 3
Experimental evaluation of single source shortest paths tree.

Data Sets	Linear Model				Time Taken (s)	Reduced Model		Summary	
	Number Inequalities					Number of Inequalities	Time Taken (s)	Times Reduction in Complexity	% Reduction in Time
	Cat I	Cat II	Cat III	Total					
Flickr-user-3	204,626	6,457,751	55,802	6,718,179	98.81	55,802	2.835	120.39	97.13
LJ-user-3	39,030	345,917	15,507	400,454	4.783	15,507	0.938	25.83	80.39
Orkut-user-3	72,130	827,508	26,109	925,747	15.735	26,109	1.752	35.47	88.87
Youtube-user-3	417,526	2,039,680	237,468	2,694,674	44.943	237,468	8.226	11.35	81.7
Flickr-comm	4,112	65,209	1,381	70,702	2.464	1,381	0.163	51.2	93.39
LJ-comm	3,148	18,333	1,496	22,977	2.471	1,496	0.099	15.36	95.99
Orkut-comm	2,409	25,831	1,046	29,286	1.401	1,046	0.08	27.99	94.29
Youtube-comm	3,605	25,737	1,822	31,164	2.564	1,822	0.127	17.11	95.05

TABLE 4
Experimental evaluation of all pairs shortest paths problem for the community driven data sets.

Data Sets	Quadratic Model					Time Taken (s)	Optimized Model			
	Number Inequalities				Merge		Trees	Total	Time Taken (s)	Unconstrained Edges
	Cat I	Cat II	Cat III	Total						
Flickr	3,645,749	85,824,651	1,813,512	91,283,912	926.71	10,837,381	1,813,512	12,650,893	172.66	60,166
LJ	2,330,938	25,847,924	2,107,957	30,286,819	320.42	7,588,195	2,107,957	9,696,152	132.31	15,003
Orkut	1,428,809	26,907,339	1,088,890	29,425,038	277.33	4,377,502	1,088,890	5,466,392	72.32	23,018
Youtube	2,762,305	38,902,975	2,756,994	44,422,274	473.945	9,163,912	2,756,994	11,920,906	151.04	22,802

TABLE 5
Experimental evaluation of all pairs shortest paths between a subset of vertices for the community driven data sets.

Data Sets	100 vertices		200 vertices		Optimized All Pairs		Percent Reduction	
	Number of Inequalities	Unconstrained Edges	Number of Inequalities	Unconstrained Edges	No. of inequalities	Unconstrained edges	100 vertices	200 vertices
Flickr-comm	513,414	64,186	1,177,428	63,433	12,650,893	60,166	95.94	90.69
LJ-comm	314,107	18,339	732,212	17,819	9,696,152	15,003	96.76	92.45
Orkut-comm	253,002	25,709	562,005	25,429	5,466,392	23,018	95.37	89.72
Youtube-comm	374,516	25,596	835,831	25,162	11,920,906	22,802	96.86	92.99

goal is to validate our analysis that if *all-pairs shortest paths* are not required by the application, we can considerably reduce the complexity of the model. For our experiments, we consider two cases, one where the pairwise shortest paths between a subset of 100 vertices is to be determined and the shortest paths tree for the rest suffices, and in another, we are interested in a subset of 200 vertices. These subsets are randomly selected, and simulate our example where the application is interested in “computer scientists” or “guitarists” in the “Los Angeles” community of Facebook. Table 5 summarizes the results from these experiments, and compares them with the numbers obtained for the *Optimized* solution for all-pairs shortest paths from Table 4. It is evident from the table that when all possible shortest paths need not be preserved, there is a significant reduction in the complexity of the models. This reduction is obtained primarily because a huge portion of the inequalities for the merge phase is not required for the trees that are not of interest and therefore do not need to be merged.

7.4 Overall time overhead

In all the above experiments, we considered only the complexity of the model, and the time taken to generate the model. Once the model has been generated, it has to be solved to anonymize the graph. The time required for this step depends on the efficiency of the LP solver. We used an open source LP Solver [31] in our experiments, and it is widely acknowledged that commercial LP solvers are far

more efficient compared to open source implementations. As example timings, for the *Reduced* model of *single source shortest paths tree* problem, the LP solver took 0.394 seconds to solve the model for *Orkut-comm* graph, 0.541 seconds for the *Youtube-comm* graph, 150.638 seconds for the *LJ-user-3* graph, and 629.869 seconds for the *Flickr-user-3* graph. For the all-pairs problem, where the complexity of the model rises to about 100K inequalities, the solvers took about an hour to find a solution. We remark that our open source LP solver is not optimized for solving large, sparse models, and these timings are not the best possible.

7.5 Evaluating Privacy Protection Measures

In this section, we evaluate the privacy preserving properties of the proposed models. We use the two measures presented in Section 2, i.e., *k-anonymity* [27] and *Spearman rank correlation coefficient* [28]. In the context of sensitivity of edge weights, both measures are defined in a neighborhood. Computation of *k-anonymity* of edges follow directly from its definition. The *Spearman rank correlation coefficient* is computed for every vertex in the graph. For each vertex in the original graph and the corresponding vertex in the anonymized graph, the list of edges emanating from the vertex comprises the ranked lists used for computing the coefficient. The coefficient measures the correlation between the ranks of the edges in the two sorted lists. Figures 3, 4, and 5 provide the experimental results for the two measures. In these exper-




Fig. 3. k -anonymity for single source shortest paths tree model for both user and community data sets.




Fig. 4. k -anonymity for the all-pairs shortest paths tree. The incremental algorithm is terminated after 100 vertices.




Fig. 5. Spearman's rank correlation coefficient for single source and all pairs shortest paths models. For incremental all pairs, algorithm is terminated after 100 vertices.

iments, we use the *Reduced* model for *single source shortest paths* tree and the *Optimized* model for *all pairs shortest paths* problem. Figures 3 and 4 plot the percentage of edges in the graph that are k -anonymous in their neighborhood for a given value of k and indistinguishability threshold μ . Figure 3 plots the graphs of the model for *single source shortest paths* tree and Figure 4 plots the graphs of the model for *all pairs shortest paths* problem. Along the x -axis we plot the different values of k , and along the y -axis, we plot the percentage of edges that are k -anonymous for the corresponding value of k on the x -axis. Each graph plots two selected data sets and compares the k -anonymity of the original and anonymized versions of

the same graphs. Different graphs correspond to different data sets, different values of μ , and different algorithms. μ values of 1 and 3 are representatives chosen to show the variance of the anonymity levels as the indistinguishability threshold increases. In our experiments, the edge weights were in the range 1 to 100, so $\mu = 1$ corresponds to 1% of the total range of edge weights. As is evident from the Figures 3 and 4, our anonymization models considerably improve the k -anonymity of the anonymized graphs when compared to the original graphs. The improvement is even more significant for larger values of k and smaller values of μ , which demonstrates the improved anonymity of edges in the anonymized

graph. Therefore, in the anonymized graphs, individual edge-weights are even less distinguishable. Note that this level of k -anonymity is provided by the model at no additional cost. We remark that k -anonymity can be further improved by adding constraints and setting bounds on the variables that ensure that the anonymized weights are even closer to each other. Additionally, note that the k -anonymity of the edges is better for the *Flickr* data set due to the higher average out-degree of the vertices which allows for more room for hiding in the *edge neighborhood*. Figure 5 plots the *Spearman rank correlation coefficient* of the models for *single source shortest paths tree* and *all pairs shortest paths* problem. Since the value of the coefficient ρ forms a continuum in the range $-1.0 \leq \rho \leq 1.0$, for ease of presentation, we maintain an equi-width histogram of the coefficient values. Along the x -axis, we plot the bucket boundaries of the histogram, and along the y -axis we plot the percentage of vertices that have the value of ρ in the range corresponding to the bucket. The two graphs plot four data sets and Figures 5(a) and 5(b) plots the results for the *single source shortest paths tree* while Figure 5(c) plots the results for *all pairs shortest paths* problem. Figure 5 demonstrates the excellent scrambling of the order of the edge weights. Note that $\rho = 0$ corresponds to no correlation of ordering, and the closer it is to 0, the harder it is for an adversary to determine the original order with high confidence. Our experiments show that for all data sets, more than 75% of vertices have $-0.3 \leq \rho \leq 0.3$, and about 90% of the vertices have $-0.5 \leq \rho \leq 0.5$. Additionally, note that the higher the average out degree (refer to Table 2 for the average degrees of the graphs in the data sets), the lesser the correlation between the original and the anonymized orders.

In conclusion, these experiments demonstrate the robustness of the proposed anonymization technique, and shows how hard it is for an adversary to determine the original edge weight, to uniquely identify edge weights, or to determine the original ordering of the weights, thereby effectively protecting the privacy of sensitive information of the weights. Furthermore, a high average degree of a graph improves to extent of anonymization, due to the greater flexibility provided to the LP solver when reassigning the weights.

8 RELATED WORK

The need to protect the privacy of social entities involved in social networks has given rise to active research in anonymization techniques for social network graphs. This interest has been primarily driven by the findings of Backstrom et al. [8] and Korolova et al. [9]. Backstrom et al. [8] described a technique based on the structural properties of graphs such as isomorphism and automorphism to re-identify vertices in the anonymized graph. Their technique was based on implanting unique structures in the graph which can be re-identified in the anonymized graph with very high probability. On the other hand, Korolova et al. [9] devised an attack where a node can be re-identified based in part on background information regarding the neighborhood. As a result, a lot of research has focused on *node identity anonymization* and *structural anonymization*. A comprehensive survey about the various anonymization techniques is provided in [32], [33].

A class of proposals, by Hay et al. [13], Zhou et al. [15], Liu et al. [14], and Zou et al. [16], suggest different methods for anonymization that are based on the addition and/or deletion of edges in the graph for altering the structure of the graph and the prevention of re-identification in the anonymized graph. On the other hand, Cormode et al. [12] suggest a technique for the anonymization of bipartite graphs based on safe groupings, an extension of which is class based anonymization [11]. Ying et al. [34] propose a randomization based spectrum preserving approach which effectively preserves the properties of the eigenvalues of the network, while anonymizing the edges, and Campan et al. [10] suggest a clustering based approach for node anonymization. Along different lines, Zheleva et al. [35] formulate the problem of edge re-identification in an unweighted graph, where the edge labels are sensitive.

The majority of existing work considers unweighted graphs for node identity and structural anonymization. But as reflected by recent work [17], [18], the weighted social network model is gaining importance, and so is edge weight anonymization. Liu et al. [36] suggest a probabilistic technique for anonymizing edge weights by perturbing the actual edge weights by a small σ obtained from a probability distribution. The goal is to keep the total cost of the shortest path close to the cost of the path in the original graph. However in this approach, the anonymized weights are close to the original edge weights, and hence may reveal sensitive information about the original values. Anónimos, on the other hand, aims at preserving general linear properties of the graph.

9 CONCLUSION

Anonymization of edge weights in a social network graph is important to enable the analysis and mining of social graphs by computer scientists as well as social scientists. Such mining has significant impact on the management of social networks as well as the understanding of various social behaviors. We proposed Anónimos, a technique for the effective anonymization of weighted social network graphs by modeling *linear properties* and formulating them as an LP problem. The Anónimos approach can be applied to preserve *linear properties* by generation of inequalities corresponding to decisions made by the algorithm during its execution. As a proof of concept, we considered the *shortest paths problem* and showed how off-the-shelf LP packages can be used to effectively anonymize the graphs. The *composability* of Anónimos for preserving multiple properties in a single anonymized graph was demonstrated using the *all pairs shortest paths* problem. We showed how a careful analysis of the properties can result in significant reductions in complexity of the models. Our experiments demonstrated the effectiveness of our techniques in the anonymization of graphs, and the efficiency of our optimizations, while ensuring that the desired properties are preserved across anonymization. In the future, we would like to extend Anónimos for other applications such as graph clustering, information spread modeling, etc., which also rely on linear combinations of edge weights. It is also of interest to study the complexity and the effectiveness of various measures of privacy, their interrelation, statistical behavior, and worst case guarantees.

ACKNOWLEDGEMENT

The authors would like to thank Divyakant Agrawal, Pamela Bhattacharya, Sayan Ranu, and the anonymous reviewers for their insightful comments that improved this paper, and Alan Mislove for providing the data sets used for the experiments. This work is partially supported by NSF Grant IIS-0847925.


REFERENCES

- [1] Y.-Y. Ahn, S. Han, H. Kwak, S. Moon, and H. Jeong, "Analysis of topological characteristics of huge online social networking services," in *WWW*, 2007, pp. 835–844.
- [2] L. Backstrom, D. Huttenlocher, J. Kleinberg, and X. Lan, "Group formation in large social networks: membership, growth, and evolution," in *KDD*, 2006, pp. 44–54.
- [3] A. Mislove, M. Marcon, K. P. Gummadi, P. Druschel, and B. Bhattacharjee, "Measurement and analysis of online social networks," in *IMC*, 2007, pp. 29–42.
- [4] M. K. Sparrow, "The application of network analysis to criminal intelligence: An assessment of the prospects," *Social Networks*, vol. 13, pp. 251–274, 1991.
- [5] S. Amer-Yahia, L. V. S. Lakshmanan, and C. Yu, "Socialscope: Enabling information discovery on social content sites," in *CIDR*, 2009.
- [6] S. Hill, F. Provost, and C. Volinsky, "Network-based marketing: Identifying likely adopters via consumer networks," *Statistical Science*, vol. 22, no. 2, pp. 256–275, 2006.
- [7] L. Getoor and C. P. Diehl, "Link mining: a survey," *SIGKDD Explor. Newsl.*, vol. 7, no. 2, pp. 3–12, 2005.
- [8] L. Backstrom, C. Dwork, and J. Kleinberg, "Wherefore Art Thou R3579X?: Anonymized Social Networks, Hidden Patterns, and Structural Steganography," in *WWW*, 2007, pp. 181–190.
- [9] A. Korolova, R. Motwani, S. Narar, and Y. Xu, "Link Privacy in Social Networks," in *ICDE*, 2008, pp. 1355–1357.
- [10] A. Campan and T. M. Truta, "A Clustering Approach for Data and Structural Anonymity in Social Networks," in *PinKDD*, 2008, pp. 1–10.
- [11] G. Cormode, D. Srivastava, S. Bhagat, and B. Krishnamurthy, "Class-based graph anonymization for social network data," *PVLDB*, vol. 2, no. 1, pp. 766–777, 2009.
- [12] G. Cormode, D. Srivastava, T. Yu, and Q. Zhang, "Anonymizing bipartite graph data using safe groupings," *Proc. VLDB Endow.*, vol. 1, no. 1, pp. 833–844, 2008.
- [13] M. Hay, G. Miklau, D. Jensen, D. Towsley, and P. Weis, "Resisting structural re-identification in anonymized social networks," *Proc. VLDB Endow.*, vol. 1, no. 1, pp. 102–114, 2008.
- [14] K. Liu and E. Terzi, "Towards identity anonymization on graphs," in *SIGMOD*, 2008, pp. 93–106.
- [15] B. Zhou and J. Pei, "Preserving Privacy in Social Networks Against Neighborhood Attacks," in *ICDE*, 2008, pp. 506–515.
- [16] L. Zou, L. Chen, and M. T. Özsu, "K-automorphism: A general framework for privacy preserving network publication," *PVLDB*, vol. 2, no. 1, pp. 946–957, 2009.
- [17] J. M. Kumpula, J. P. Onnela, J. Saramaki, K. Kaski, and J. Kertesz, "Emergence of communities in weighted networks," *Physical Review Letters*, vol. 99, pp. 228 701–1–228 701–4, 2007.
- [18] R. Toivonen, J. M. Kumpula, J. Saramäki, J.-P. Onnela, J. Kertész, and K. Kaski, "The role of edge weights in social networks: modelling structure and dynamics," *Noise and Stochastics in Complex Systems and Finance*, vol. 6601, no. 1, pp. B1–B8, 2007.
- [19] D. Kempe, J. Kleinberg, and E. Tardos, "Maximizing the spread of influence through a social network," in *KDD*, 2003, pp. 137–146.
- [20] E. W. Dijkstra, "A note on two problems in connexion with graphs," *Numerische Mathematik*, vol. 1, pp. 269–271, 1959.
- [21] J. B. Kruskal, "On the shortest spanning subtree of a graph and the traveling salesman problem," *Proceedings of the American Mathematical Society*, vol. 7, no. 1, pp. 48–50, February 1956.
- [22] J. Tang, J. Zhang, L. Yao, J. Li, L. Zhang, and Z. Su, "Arnetminer: extraction and mining of academic social networks," in *KDD*, 2008, pp. 990–998.
- [23] M. Stoer and F. Wagner, "A simple min-cut algorithm," *J. ACM*, vol. 44, no. 4, pp. 585–591, 1997.
- [24] A. M. Gibbons, *Algorithmic Graph Theory*. Cambridge University Press, 1985.
- [25] E. Horowitz and S. Sahni, *Fundamentals of Computer Algorithms*. Computer Science Press, 1978.
- [26] S. Das, Ömer Eğecioğlu, and A. El Abbadi, "Anonymizing Weighted Social Network Graphs," in *ICDE*, 2010, pp. 904–907.
- [27] L. Sweeney, "k-anonymity: A model for protecting privacy," *Int. J. Uncert. Fuzziness Knowl.-Based Syst.*, vol. 10, no. 5, pp. 557–570, 2002.
- [28] C. Spearman, "The proof and measurement of association between two things," *American J. of Psychology*, vol. 15, pp. 72–101, February 1904.
- [29] C. H. Papadimitriou and K. Steiglitz, *Combinatorial optimization: algorithms and complexity*. Dover, 1998, p. 173.
- [30] R. W. Floyd, "Algorithm 97: Shortest path," *Commun. ACM*, vol. 5, no. 6, p. 345, 1962.
- [31] "LPSolve 5.5," <http://lpsolve.sourceforge.net/5.5/>.
- [32] K. Liu, K. Das, T. Grandison, and H. Kargupta, *Privacy-Preserving Data Analysis on Graphs and Social Networks*. CRC Press, December 2008, ch. 21, pp. 419–437.
- [33] X. Wu, X. Ying, K. Liu, and L. Chen, *A Survey of Algorithms for Privacy-Preservation of Graphs and Social Networks*, ser. Managing and Mining Graph Data. Kluwer Academic Publishers, March 2010, ch. 14, pp. 421–454.
- [34] X. Ying and X. Wu, "Randomizing social networks: a spectrum preserving approach," in *SDM*, 2008, pp. 739–750.
- [35] E. Zheleva and L. Getoor, "Preserving the Privacy of Sensitive Relationships in Graph Data," in *PinKDD*, 2007, pp. 153–171.
- [36] L. Liu, J. Wang, J. Liu, and J. Zhang, "Privacy preservation in social networks with sensitive edge weights," in *SDM*, 2009, pp. 954–965.



Sudipto Das received his B. Engg. degree in Computer Science and Engineering from Jadavpur University, India in 2006 and was awarded the TCS-JU best student award for 2006. He is currently a PhD candidate in the Department of Computer Science at UC Santa Barbara. His research interests lie in the area of scalable data management, specifically interested in update intensive and transactional systems for cloud platforms that scale out while providing the developers consistency that they

can reason about. He is a student member of the IEEE.



Ömer Eğecioğlu received the PhD degree in Mathematics from the UC San Diego, in 1984. At present, he is a professor in the Computer Science Department at the UC Santa Barbara, where he has been on the faculty since 1985. His principal areas of research are algorithms, bijective and enumerative combinatorics, and combinatorial algorithms. His current interest in parallel algorithms involves approximation and numerical techniques on distributed memory systems while his combinatorial interests center around computational geometry, algorithms on strings, bijective methods, and ranking algorithms for combinatorial structures.



Amr El Abbadi received his PhD degree in Computer Science from Cornell University in 1987. He is currently a Professor and Chair of the Department of Computer Science at the UC Santa Barbara. He was Vice Chair of ICDCS 1999, Vice Chair for ICDE 2002, the Americas PC Chair for VLDB 2000, the PC Chair for SIGSPATIAL 2010, and co-chair of ACM SoCC 2011. In 2007, Prof. El Abbadi received the UCSB Senate Outstanding Mentorship Award for his excellence in mentoring graduate students. His research interests lie in the broad area of scalable database and distributed systems. He is a senior member of the IEEE.