

First name (color-in initial)	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	section (10, or 11)	first name initial	last name initial
Last name (color-in initial)	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z			

H13: Due Tuesday 05.08.2012 in Lab. Total Points: 50

MAY ONLY BE TURNED IN DURING Lab ON Tuesday 05.08.2012, or offered in person, for in person grading, during instructor or TAs office hours.

See the course syllabus at <https://foo.cs.ucsb.edu/56wiki/index.php/S12:Syllabus> for more details.

(1) (10 pts) Fill in the information below. Also, fill in the A-Z header by

- **coloring in** the first letter of your first and last name (as it would appear in Gauchospace),
- writing **either 10,11** to indicate your **discussion section** meeting time
- writing your **first and last initial** in large capital letters.

All of this helps us to manage the avalanche of paper that results from the daily homework.

name:	
email address:	@uemail.ucsb.edu

Reading Assignment:

- HFJ:Chapter_15, starting on p. 471 Networking and Threads: Make a Connection
- For this homework, focus on the part of the chapter about threads. (A previous homework covered the part about networking)
- If there are reading notes on the wiki, consult those too —sometimes they contain helpful hints.

(2) What does it mean for a thread to be:

(a) (4 pts) new

(b) (4 pts) runnable

(c) (4 pts) running

(d) (4 pts) blocked

(3) (3 pts) When you create a new thread which of these four states above does it go into? (circle one)

new runnable running blocked

(4) (3 pts) When you call the `.start()` method of a thread, which of the four states above does it go into? (circle one)

new runnable running blocked

(5) (4 pts) What puts a thread into the new state?

(6) (4 pts) What puts a thread into the runnable state?

(7) (4 pts) What puts a thread into the running state?

(8) Give two examples of events that can move a thread into a blocked state.

(a) (3 pts)

(b) (3 pts)